IN THE CLAIMS:

- 1. (Currently Amended) [An apparatus] A portable system configured to be carried by an individual for out-of-hospital thrombolytic therapy for substantially preventing the death of a patient's myocardium and early dissolution of a coronary thrombus subsequent to a heart attack, said system comprising:
 - a. a library of <u>vials of medication</u> in liquid or lyophilized form including a thrombolytic agent <u>for thrombus dissolution prior to completion of fibrin polymerization</u>, adjuvant drugs for supportive care during <u>the</u> heart attack and a diluent for reconstitution of drugs;
 - b. an intravenous needle providing an access to a patient's circulatory system;
 - c. a battery operated infusion pump with a set of conduits, on-off and multi-port valves fluidly communicable with the intravenous needle, a source of a diluent, and one or more of the vials [with drugs] in the library;
 - d. a battery operated micro cooler adapted for keeping the medication library at reduced temperatures for preservation of their potency over a several year period;
 - e. a microprocessor based control unit with a stored set of programs, designed to control operation of the infusion pump and valves to provide priming, drug reconstitution, and preprogrammed intravenous infusion of the thrombolytic agent and supportive drugs; wherein said system can be activated within thirty minutes after onset of the symptoms of a heart attack and treatment can be started by infusing the thrombolytic agent and adjuvant drugs within thirty minutes after onset of the symptoms of a heart attack.

- 2. (Currently Amended) [An apparatus for out-of-hospital thrombolytic therapy according to]

 The system of claim 1, wherein said control unit is adapted for remote programming via the Internet, by a local operator [perator], or by the patient.
- 3. (Cancelled)
- 4. (Currently Amended) [An apparatus for out-of-hospital thrombolytic therapy according to]

 The system of claim 1, wherein the temperature in the medication library is kept below 5[.] degree. C.
- 5. (Currently Amended) [An apparatus for out-of-hospital thrombolytic therapy according to]

 The system of claim 1, wherein the thrombolytic agent and a schedule of infusion are preselected by a physician for the patient individually.
- 6. (Currently Amended) [An apparatus] A portable system configured to be carried by an individual for out-of-hospital thrombolytic therapy for substantially preventing the death of a patient's myocardium and early dissolution of a coronary thrombus subsequent to a heart attack, said system comprising:
 - a. a thrombolytic agent in lyophilized form and a diluent for its reconstitution;
 - b. an intravenous needle providing an access to a patient's circulatory system;
 - c. an infusion pump or syringe;

- d. a battery operated micro cooler adapted for keeping the thrombolytic agent at reduced temperatures for preservation of its potency over a several year period;
- wherein said system can be activated within thirty minutes after onset of the symptoms of a

 heart attack and treatment can be started by infusing the thrombolytic agent and adjuvant

 drugs within thirty minutes after onset of the symptoms of a heart attack.
- 7. (Cancelled)